INDEX TO VOLUME 57

Author Index

Abassy, M. *See* A. Arafah, **35**
Abramson, D., R. N. Sinha, and J. T. Mills. Mycotoxin and odor formation in moist cereal grain during granary storage, **346**
Ali, M. R., and R. B. H. Wills. Effect of milling on cooking time of sorghum grain, **386**
Amano, H. *See* M. Mizukoshi, **352**
Anderson, R. A. *See* G. W. Nofsinger, **373**
Anderson, R. L. Analysis of soy protein disc gel electropherograms, **155**
Ando, Y. *See* K. Saio, **77**
Arafah, A., M. Abassy, S. Morcos, and L. Hussein. Nutritive quality of baladi bread supplemented with fish protein concentrate, green algae, or synthetic amino acids, **35**
Atwal, A. S., N. A. M. Eskin, and M. Vaisey-Genser. Note on the estimation of choline in plant protein sources, **368**
Atwell, W. A., R. C. Hoseney, and D. R. Lineback. Debranching of wheat amylopectin, **12**

Bach Knudsen, K. E. *See* H. Martens, **97**
Bachman, A. L. *See* P. M. Keagy, **59**
Baker, G. W., L. A. Johnson, E. W. Lusas, and L. W. Rooney. Shortenings encapsulated with oilseed proteins, **257**
Ballance, D. L. *See* A. W. MacGregor, **397**
Barrett, F. F., R. J. Loewe, and K. Kulp. Nutrient levels in internationally milled wheat flours, **361**
Bates, L. *See* K. Lorenz, **16**
Bedford, C. L. *See* K. M. Patel, **123**
Beleia, A., E. Varriano-Marston, and R. C. Hoseney. Characterization of starch from pearl millets, **300**
Berg, M. A. *See* C. F. McGuire, **32**
Bhatty, R. S., and B. G. Rossnagel. Lipids and fatty acid composition of Riso 1508 and normal barley, **382**
Bhuiyan, Z. H., and J. M. V. Blanshard. Chlorinated and heat-treated flours: Studies of the dynamics of starch gelatinization of small-angle light scattering, **262**
Bietz, J. A., and J. S. Wall. Identity of high molecular weight gliadin and ethanol-soluble glutenin subunits of wheat: Relation to gluten structure, **415**
Birch, R. E. W., and P. L. Finney. Note on fresh egg yolk in 50% whole wheat bread, **448**
Black, H. C., F. H. Hsieh, D. G. Martin, and K. H. Tipples. Two grain research laboratory mills and a comparison with the Allis-Chalmers mill, **402**
———. *See* F. H. Hsieh, **217**
Blanshard, J. M. V. *See* Z. H. Bhuiyan, **262**
Bohlin, L., and T. L.-G. Carlson. Dynamic viscoelastic properties of wheat flour dough: Dependence on mixing time, **174**
Booth, D. T. *See* M. M. Stearns, **438**
Borenstein, B. *See* P. M. Keagy, **59**
Bothast, R. J. *See* G. W. Nofsinger, **373**
Boyd, W. A. *See* P. M. Keagy, **59**
Bracciali, A., P. Cantagalli, G. Pompucci, and P. Tarli. Note on the identical immunological behavior of a protein fraction from durum wheat germ and a purified lectin from soft wheat germ, **367**
Bradbury, J. H., J. G. Collins, and N. A. Pyliotis. Methods of separation of the major histological components of rice and characterization of their proteins by amino acid analysis, **133**
———, ———, **and** ———. Amino acid analyses of the proteins of the major histological components of a high-protein rice, **343**
Bruinsma, B. L. *See* F. C. Woods, **290**
Bushuk, W. *See* W. Obuchowski, **421, 426**

Cain, R. F. *See* K. R. Davis, **178**
Campos, J. E. *See* A. A. El-Dash, **9**
Cantagalli, P. *See* A. Bracciali, **367**
Carlson, T. L.-G. *See* L. Bohlin, **174**
Carville, D. *See* O. K. Chung, **106**
Catalano, E. A. *See* E. B. Lillehoj, **225**
Charbonniere, R. *See* C. Mercier, **4**
Chung, O. K., Y. Pomeranz, K. F. Finney, M. D. Shogren, and D. Carville. Defatted and reconstituted wheat flours. V. Bread-making response to shortening of flour differentially defatted by varying solvent and temperature, **106**
———, ———, **M. D. Shogren, K. F. Finney, and B. G. Howard.** Defatted and reconstituted wheat flours. VI. Response to shortening addition and lipid removal in flours that vary in bread-making quality, **111**
Clements, R. L. Note on the effect of removal of free flour lipids on the internal structure of cookies as observed by a resin-embedding method, **445**
Collins, J. G. *See* J. H. Bradbury, **133, 343**
Connor, M. A. *See* P. M. Keagy, **59**

Damidaux, R. *See* M. F. Jeanjean, **325**
D'Appolonia, B. L. *See* L. A. MacArthur, **39**
———. *See* M. M. Morad, **141, 239**
Davis, K. R., N. Litteneker, D. Le Tourneau, R. F. Cain, L. J. Peters, and J. McGinnis. Evaluation of the nutrient composition of wheat. I. Lipid constituents, **178**
DeBojarski, A. B. *See* G. Ellenrieder, **25**
deMan, J. M. *See* V. F. Rasper, **27, 331**
Demaray, D. E. *See* G. L. Rubenthaler, **212**
Dexter, J. E. *See* R. R. Matsuo, **117**
Deyoe, C. W. *See* L. A. Johnson, **376**
Dick, J. W. *See* W. C. Shuey, **295**
Dickens, J. W. *See* O. L. Shotwell, **206**
Dilsaver, W. *See* K. Lorenz, **16, 21**
Donnelly, B. J., J. E. Voigt, and B. L. Scallet. Reactions of oligosaccharides. V. Pyrolysis-gas chromatography, **388**
———. *See* R. A. Johnston, **447**
Dragsdorf, R. D., and E. Varriano-Marston. Bread staling: X-ray diffraction studies on bread supplemented with α-amylases from different sources, **310**
Du Pont, M. S. *See* R. R. Selvendran, **278**

El-Dash, A. A., V. C. Sgarbieri, and J. E. Campos. Sweet lupine-fortified bread: Nutritional value and amino acid content, **9**
Eliasson, A.-C., and P. -O. Hegg. Thermal stability of wheat gluten, **436**
Elkassabany, M., and R. C. Hoseney. Ascorbic acid as an oxidant in wheat flour dough. II. Rheological effects, **88**
———, ———, **and P. A. Seib.** Ascorbic acid as an oxidant in wheat flour dough. I. Conversion to dehydroascorbic acid, **85**
Ellenrieder, G., H. Geronazzo, and A. B. DeBojarski. Thermal inactivation of trypsin inhibitors in aqueous extracts of soybeans, peanuts, and kidney beans: Presence of substances that accelerate inactivation, **25**
Emodi, A. S., and L. Scialpi. Quality of bread fortified with ten micronutrients, **1**
Endo, S. *See* K. Tanaka, **169**
Esen, A. Communication to the editor: Fractionation of zein by ion-exchange chromatography on phosphocellulose, **75**
———. A simple colorimetric method for zein determination in corn and its potential in screening for protein quality, **129**
Eskin, N. A. M. *See* A. S. Atwal, **368**
Eustace, W. D. *See* D. B. Parrish, **284**

Faber, S. *See* N. Prentice, **198**
Faubion, J. *See* R. C. Hoseney, **163**
———. *See* J. S. Sidhu, **380**
Feillet, P. *See* M. F. Jeanjean, **325**
Finley, J. W., and M. M. Hanamoto. Milling and baking properties of dried brewer's spent grains, **166**
Finney, K. F. *See* O. K. Chung, **106, 111**
———. *See* G. L. Rubenthaler, **212**
Finney, P. L., M. M. Morad, and J. D. Hubbard. Germinated and ungerminated faba bean in conventional U.S. breads made with and without sugar and in Egyptian balady breads, **267**
———. *See* R. E. W. Birch, **448**
———. *See* M. M. Morad, **230, 390**
———. *See* G. L. Rubenthaler, **212**
Fleming, S. E., and R. D. Reichert. Note on a modified method for the quantitative determination of starch, **153**
Franz, A. O. *See* E. B. Lillehoj, **255**
Fulcher, R. G. *See* K. D. Hargin, **320**

Gaines, C. S., and C. C. Tsen. A baking method to evaluate flour quality for rotary-molded cookies, **429**
Geronazzo, H. *See* G. Ellenrieder, **25**

Ghaisi, K. *See* A. C. Johnson, **94**
Goulden, M. L. *See* O. L. Shotwell, **206**
Grant, D. R., and V. K. Sood. Studies of the role of ascorbic acid in chemical dough development. II. Partial purification and characterization of an enzyme oxidizing ascorbate in flour, **46**
_____, **and** _____. Note on the antioxidant effect of ascorbic acid on flour free fatty acids, **231**
Grebaut, J. *See* C. Mercier, **4**
Gueldner, R. C. *See* W. W. McMillan, **83**
Gueriviere, J. F. de la. *See* C. Mercier, **4**

Hanamoto, M. M. *See* J. W. Finley, **166**
Hargin, K. D., W. R. Morrison, and R. G. Fulcher. Triglyceride deposits in the starch endosperm of wheat, **320**
Harland, B. F., and J. Harland. Fermentative reduction of phytate in rye, white, and whole wheat breads, **226**
Harland, J. *See* B. F. Harland, **226**
Hegg, P.-O. *See* A.-C. Eliasson, **436**
Herod, L. *See* D. B. Parrish, **284**
Hesseltine, C. W. *See* O. L. Shotwell, **206**
Hill, G. *See* P. M. Keagy, **59**
Hobbs, W. E. *See* P. M. Keagy **59**
Holas, J. *See* J. Kratochvíl, **209**
Holmes, L. G. Note on fluorometric method for determination of uric acid in flour, **371**
Hoover, W. J. *See* L. A. Johnson, **376**
Horner, E. S. *See* E. B. Lillehoj, **255**
Hoseney, R. C., H. Rao, J. Faubion, and J. S. Sidhu. Mixograph studies. IV. The mechanism by which lipoxygenase increases mixing tolerance, **163**
_____. *See* W. A. Atwell, **12**
_____. *See* A. Beleia, **300**
_____. *See* M. Elkassabany, **85, 88**
_____. *See* A. C. Johnson, **92, 94**
_____. *See* K. M. Koepsel, **49**
_____. *See* M. Maleki, **138**
_____. *See* A. Pizzinatto, **185, 249**
_____. *See* J. S. Sidhu, **159, 380**
_____. *See* E. Varriano-Marston, **150**
_____. *See* Y. F. Yeh, **144**
Howard, B. G. *See* O. K. Chung, **111**
Hsieh, F. H., D. G. Martin, H. C. Black, and K. H. Tipples. Some factors affecting the first break grinding of Canadian wheat, **217**
_____. *See* H. C. Black, **402**
Hsu, D. L. *See* M. M. Morad, **390**
Huang, G. *See* E. Varriano-Marston, **242**
Hubbard, J. D. *See* P ' Finney, **267**
Huff, W. E. A physical method for the segregation of aflatoxin-contaminated corn, **236**
Hughes, J. W. *See* B. S. Miller, **126**
Hussein, L. *See* A. Arafah, **35**

Imamura, H. *See* T. Nagai, **307**

Jambunathan, R. *See* V. Subramanian, **440**
Jeanjean, M. F., R. Damidaux, and P. Feillet. Effect of heat treatment on protein solubility and viscoelastic properties of wheat gluten, **325**
Johnson, A. C., and R. C. Hoseney. Chlorine treatment of cake flours. IV. Effects of storing and heating nondefatted and defatted flours, **92**
_____, _____, **and K. Ghaisi.** Chlorine treatment of cake flours. V. Oxidation of starch, **94**
Johnson, L. A., C. W. Deyoe, W. J. Hoover, and J. R. Schwenke. Inactivation of trypsin inhibitors in aqueous soybean extracts by direct steam infusion, **376**
_____. *See* G. W. Baker, **257**
Johnston, R. A., J. S. Quick, and B. J. Donnelly. Note on comparison of pigment extraction and reflectance colorimeter methods for evaluating semolina color, **447**
Josephson, L. M. *See* E. B. Lillehoj, **255**

Ke, V. *See* E. Varriano-Marston, **242**
Keagy, P. M., B. Borenstein, P. Ranum, M. A. Connor, K. Lorenz, W. E. Hobbs, G. Hill, A. L. Bachman, W. A. Boyd, and K. Kulp. Natural levels of nutrients in commercially milled wheat flours. II. Vitamin analysis, **59**
Khan, M. N., and J. T. Lawhon. Baking properties of oilseed protein and isolates produced with industrial membrane systems, **433**
Kinsella, J. E. *See* F. C. Woods, **290**
Kiriyama, S. *See* T. Nagai, **307**
Kito, M. *See* K. Saio, **77**
Kloek, M. *See* P. W. Voisey, **442**
Kobrehel, K., and B. Matignon. Communication to the editor: Solubilization of proteins with soaps in relation to the bread-making properties of wheat flours, **73**
Koepsel, K. M., and R. C. Hoseney. Effects of corn syrups in layer cakes, **49**
Kratochvíl, J., and J. Holas. A gas chromatographic method for the determination of acetic and lactic acid in rye sour, **209**
Kulp, K., P. M. Ranum, P. C. Williams, and W. T. Yamazaki. Natural levels of nutrients in commercially milled wheat flours. I. Description of samples and proximate analysis, **54**
_____. *See* F. F. Barrett, **361**
_____. *See* P. M. Keagy, **59**
Kwolek, W. F. *See* L. S. Lee, **340**
_____. *See* E. B. Lillehoj, **255**
_____. *See* O. L. Shotwell, **206**

Lai, C. C., and E. Varriano-Marston. Lipid content and fatty acid composition of free and bound lipids in pearl millets, **271**
_____, **and** _____. Changes in pearl millet meal during storage, **275**
Lamkin, W. M., and B. S. Miller. Note on the use of sodium hydroxide to distinguish red wheats from white common, club, and durum cultivars, **293**
Lawhon, J. T. *See* M. N. Khan, **433**
Lee, L. S., E. B. Lillehoj, and W. F. Kwolek. Aflatoxin distribution in individual corn kernels from intact ears, **340**
Lee, M. S. *See* B. S. Miller, **126**
Le Tourneau, D. *See* K. R. Davis, **178**
Leung, H. K. *See* M. M. Morad, **390**
Lillehoj, E. B., W. F. Kwolek, E. S. Horner, N. W. Widstrom, L. M. Josephson, A. O. Franz, and E. A. Catalano. Aflatoxin contamination of preharvest corn: Role of *Aspergillus flavus* inoculum and insect damage, **255**
_____. *See* L. S. Lee, **340**
Lineback, D. R. *See* W. A. Atwell, **12**
_____. *See* Y. F. Yeh, **144**
Litteneker, N. *See* K. R. Davis, **178**
Loewe, R. J. *See* F. F. Barrett, **361**
_____. *See* K. Lorenz, **65**
Lorenz, K., and W. Dilsaver. Rheological properties and food applications of proso millet flours, **21**
_____, _____, **and L. Bates.** Proso millets. Milling characteristics, proximate compositions, nutritive values of flours, **16**
_____, **R. Loewe, D. Weadon, and W. Wolf.** Natural levels of nutrients in commercially milled wheat flours. III. Mineral analysis, **65**
_____. *See* P. M. Keagy, **59**
Lusas, E. W. *See* G. S. Baker, **257**

MacArthur, L. A., and B. L. D'Appolonia. Comparison of nonstarchy polysaccharides in oats and wheat, **39**
MacGregor, A. W., and D. L. Ballance. Hydrolysis of large and small starch granules from normal and waxy barley cultivars by α-amylases from barley malt, **397**
Maeda, H. *See* M. Mizukoshi, **352**
Maleki, M., R. C. Hoseney, and P. J. Mattern. Effects of loaf volume, moisture content, and protein quality on the softness and staling rate of bread, **138**
Maneval, R. D. *See* W. C. Shuey, **295**
Martens, H., and K. E. Bach Knudsen. Fractioning barley proteins by computer factor analysis, **97**
Martin, D. G. *See* H. C. Black, **402**
_____. *See* F. H. Hsieh, **217**
Matignon, B. *See* K. Kobrehel, **73**
Matsuo, R. R., and J. E. Dexter. Comparison of experimentally milled durum wheat semolina to semolina produced by some Canadian commercial mills, **117**
Mattern, P. J. *See* M. Maleki, **138**
McGinnis, J. *See* K. R. Davis, **178**
McGuire, C. F., F. H. McNeal, and M. A. Berg. Quality comparisons of some semidwarf and standard height hard red spring wheat lines grown in Montana, **32**
McMillian, W. W., D. M. Wilson, N. W. Widstrom, and R. C. Gueldner. Incidence and level of aflatoxin in preharvest corn in South Georgia in 1978, **83**
McNeal, F. H. *See* C. F. McGuire, **32**
McWatters, K. H. Replacement of milk protein with protein from cowpea and field pea flours in baking powder biscuits, **223**
Mercier, C., R. Charbonniere, J. Grebaut, and J. F. de la Gueriviere. Formation of amylose-lipid complexes by twin-screw extrusion cooking of manioc starch, **4**
Miller, B. S., M. S. Lee, J. W. Hughes, and Y. Pomeranz. Measuring high

moisture content of cereal grains by pulsed nuclear magnetic resonance, **126**
_____. *See* W. M. Lamkin, **293**
Miller, G. A., V. L. Youngs, and E. S. Oplinger. Environmental and cultivar effects on oat phytic acid concentration, **189**
_____, _____, **and** _____. Effect of available soil phosphorus and environment on the phytic acid concentration in oats, **192**
Mills, J. T. *See* D. Abramson, **346**
Mizukoshi, M., H. Maeda, and H. Amano. Model studies of cake baking. II. Expansion and heat set of cake batter during baking, **352**
Morad, M. M., and B. L. D'Appolonia. Effect of surfactants and baking procedure on total water-solubles and soluble starch in bread crumb, **141**
_____, **and** _____. Effect of baking procedure and surfactants on the pasting properties of bread crumb, **239**
_____, **H. K. Leung, D. L. Hsu, and P. L. Finney.** Effect of germination on physicochemical and bread-baking properties of yellow pea, lentil, and faba bean flours and starches, **390**
_____, **and P. L. Finney.** Note on a simple method to produce a high extraction faba bean cotyledon flour, **230**
_____. *See* P. L. Finney, **267**
Morcos, S. *See* A. Arafah, **35**
Morrison, W. R. *See* K. D. Hargin, **320**
Moss, H. J. Strength requirements of doughs destined for repeated sheeting compared with those of normal doughs, **195**
Murbach, N. L. *See* B. T. O'Connell, **412**

Nagai, T., H. Imamura, and S. Kiriyama. Dietary fiber breads containing gobo residue, gobo holocellulose, and konjac powder, **307**
Nagao, S. *See* K. Tanaka, **169**
Nash, A. M., and W. J. Wolf. Aging of soybean globulins: Effect on their solubility in buffer at pH 7.6, **233**
Nielsen, M. A., A. K. Sumner, and L. L. Whalley. Fortification of pasta with pea flour and air-classified pea protein concentrate, **203**
Nikkuni, I. *See* K. Saio, **77**
Nofsinger, G. W., J. E. Van Cauwenberge, R. A. Anderson, and R. J. Bothast. Preliminary biological evaluation of the effect of microwave heating on high-moisture shelled corn, **373**
Nordin, P. *See* J. S. Sidhu, **159, 380**

Obuchowski, W., and W. Bushuk. Wheat hardness: Comparison of methods of its evaluation, **421**
_____, **and** _____. Wheat hardness: Effects of debranning and protein content, **426**
O'Connell, B. T., G. L. Rubenthaler, and N. L. Murbach. Evaluation of a Nephelometric method for determining cereal alpha-amylase, **411**
Oda, M., Y. Yasuda, S. Okazaki, Y. Yamauchi, and Y. Yokoyama. A method of flour quality assessment for Japanese noodles, **253**
Okazaki, S. *See* M. Oda, **253**
Oplinger, E. S. *See* G. A. Miller, **189, 192**
Otsuru, M. *See* K. Saio, **77**

Parrish, D. B., W. D. Eustace, J. G. Ponte, Jr., and L. Herod. Distribution of vitamin A in fortified flours and effect of processing, simulated shipping, and storage, **284**
Patel, K. M., C. L. Bedford, and C. W. Youngs. Amino acid and mineral profile of air-classified navy bean flour fractions, **123**
Peters, L. J. *See* K. R. Davis, **178**
Pizzinatto, A., and R. C. Hoseney. Rheological changes in cracker sponges during fermentation, **185**
_____, **and** _____. A laboratory method for saltine crackers, **249**
Pomeranz, Y. *See* O. K. Chung, **106, 111**
_____. *See* B. S. Miller, **126**
Pompucci, G. *See* A. Bracciali, **367**
Ponte, J. G., Jr. *See* D. B. Parrish, **284**
_____. *See* E. Varriano-Marston, **242**
Prentice, N., S. Babler, and S. Faber. Enzymic analysis of beta-D-glucans in cereal grains, **198**
Preston, K. R., and K. H. Tipples. Effects of acid-soluble and acid-insoluble gluten proteins on the rheological and baking properties of wheat flours, **314**
Pyliotis, N. A. *See* J. H. Bradbury, **133, 343**

Quick, J. S. *See* R. A. Johnston, **447**

Ranum, R. M. Note on levels of nutrients to add under expanded wheat flour fortification/enrichment programs, **70**
_____. *See* P. M. Keagy, **59**
_____. *See* K. Kulp, **54**
Rao, H. *See* R. C. Hoseney, **163**
Rasper, V. F., and J. M. deMan. Measurement of hydration capacity of wheat flour/starch mixtures, **27**
Reddy, N. R., and D. K. Salunkhe. Changes in oligosaccharides during germination and cooking of black gram and fermentation of black gram/rice blend, **356**
Reichert, R. D. *See* S. E. Fleming, **153**
Rooney, L. W. *See* G. W. Baker, **257**
Rossnagel, B. G. *See* R. S. Bhatty, **382**
Rubenthaler, G. L., P. L. Finney, D. E. Demaray, and K. F. Finney. Gasograph: Design, construction, and reproducibility of a sensitive 12-channel gas recording instrument, **212**
_____. *See* B. T. O'Connell, **411**

Saio, K., I. Nikkuni, Y. Ando, M. Otsuru, Y. Terauchi, and M. Kito. Soybean quality changes during model storage studies, **77**
Salunkhe, D. K. *See* N. R. Reddy, **356**
Scallet, B. L. *See* B. J. Donnelly, **388**
Schwenke, J. R. *See* L. A. Johnson, **376**
Scialpi, L. *See* A. S. Emodi, **1**
Seib, P. A. *See* M. Elkassabany, **85**
Selvendran, R. R., and M. S. Du Pont. An alternative method for the isolation and analysis of cell wall material from cereals, **278**
Setser, C. S. *See* L. M. Vecchionacce, **303**
Sgarbieri, V. C. *See* A. A. El-Dash, **9**
Shogren, M. D. *See* O. K. Chung, **106, 111**
Shotwell, O. L., M. L. Goulden, C. W. Hesseltine, J. W. Dickens, and W. F. Kwolek. Aflatoxin: Distribution in contaminated corn plants, **206**
Shuey, W. C., R. D. Maneval, and J. W. Dick. Dual-purpose mill for flour and granular products, **295**
Sidhu, J. S., R. C. Hoseney, J. Faubion, and P. Nordin. Reaction of ^{14}C-cysteine with wheat flour water solubles under ultraviolet light, **380**
_____, P. Nordin, and R. C. Hoseney. Mixograph studies. III. Reaction of fumaric acid with gluten proteins during dough mixing, **159**
_____. *See* R. C. Hoseney, **163**
Singh, R. P. *See* J. F. Steffe, **148**
Sinha, R. N. *See* D. Abramson, **346**
Sood, V. K. *See* D. R. Grant, **46, 231**
Stearns, M. M., and D. T. Booth. Note on the quality characteristics of Indian ricegrass (wye), **438**
Steffe, J. F., and R. P. Singh. Note on volumetric reduction of short grain rice during drying, **148**
Subramanian, V., R. Jambunathan, and S. Suryaprakash. Note on the soluble sugars of sorghum, **440**
Sumner, A. K. *See* M. A. Nielsen, **203**
Suryaprakash, S. *See* V. Subramanian, **440**

Tanaka, K., S. Endo, and S. Nagao. Effect of potassium bromate, potassium iodate, and L-ascorbic acid on the consistency of heated dough, **169**
Tarli, P. *See* A. Bracciali, **367**
Terauchi, Y. *See* K. Saio, **77**
Tipples, K. H. *See* H. C. Black, **402**
_____. *See* F. H. Hsieh, **217**
_____. *See* K. R. Preston, **314**
Tsai, C. Y. Note on the effect of reducing agent on zein preparation, **288**
Tsen, C. C. *See* C. S. Gaines, **429**

Vaisey-Genser, M. *See* A. S. Atwal, **368**
Van Cauwenberge, J. E. *See* G. W. Nofsinger, **373**
Varriano-Marston, E., and R. C. Hoseney. Note on mineral content and location in pearl millet, **150**
_____, **V. Ke, G. Huang, and J. Ponte, Jr.** Comparison of methods to determine starch gelatinization in bakery foods, **242**
_____. *See* A. Beleia, **300**
_____. *See* R. D. Dragsdorf, **310**
_____. *See* C. C. Lai, **271, 275**
Vecchionacce, L. M., and C. S. Setser. Quality of sugar cookies fortified with liquid cyclone processed cottonseed flour with stabilizing agents, **303**
Voigt, J. E. *See* B. J. Donnelly, **388**
Voisey, P. W., and M. Kloek. Note on methods of recording dough development curves from electronic recording mixers, **442**
Vose, J. R. Production and functionality of starches and protein isolates from legume seeds (field peas and horsebeans), **406**

Wall, J. S. *See* J. A. Bietz, **415**
Weadon, D. *See* K. Lorenz, **65**
Whalley, L. L. *See* M. A. Nielsen, **203**
Widstrom, N. W. *See* E. B. Lillehoj, **255**
_____. *See* W. W. McMillian, **83**
Williams, P. C. *See* K. Kulp, **54**

Wills, R. B. H. *See* M. R. Ali, **386**
Wilson, D. M. *See* W. W. McMillian, **83**
Wolf, W. *See* K. Lorenz, **65**
Wolf, W. J. *See* A. M. Nash, **233**
Woods, F. C., B. L. Bruinsma, and J. E. Kinsella. Note on the effects of protease from *Saccharomyces carlsbergensis* on dough strength, **290**

Yamauchi, Y. *See* M. Oda, **253**
Yamazaki, W. T. *See* K. Kulp, **54**
Yasuda, Y. *See* M. Oda, **253**
Yeh, Y. F., R. C. Hoseney, and D. R. Lineback. Changes in wheat flour pentosans as a result of dough mixing and oxidation, **144**
Yokoyama, Y. *See* M. Oda, **253**
Youngs, C. W. *See* K. M. Patel, **123**
Youngs, V. L. *See* G. A. Miller, **189, 192**

SUBJECT INDEX

Acetic acid
in rye sour, gas chromatographic method for determination (Kratochvíl and Holas), **209**

Aflatoxin
contamination of preharvest corn, role of *Aspergilius flavus* inoculum and insect damage (Lillehoj et al), **255**
corn contaminated with; physical method for segregating (Huff), **236**
distribution in contaminated corn plants (Shotwell et al), **206**
distribution in individual corn kernels (Lee et al), **340**
incidence and level in preharvest corn (McMillian et al), **83**

Air classification
navy bean flour; amino acid and mineral profile of (Patel et al), **123**

Amino acids
in air-classified navy bean flour (Patel et al), **123**
analyses of proteins of histological components of high-protein rice (Bradbury et al), **343**
composition of baladi bread (Arafah et al), **35**
composition of barley, by computer factor analysis (Martens and Bach Knudsen), **97**
of faba beans in U.S. and Egyptian balady breads (Finney et al), **267**
in proso millet flours (Lorenz et al), **16**
in sweet lupine-fortified bread (El Dash et al), **9**

α-Amylase
from barley malt; hydrolysis of granules from normal and waxy barley cultivars (MacGregor and Ballance), **397**
effect on bread staling (Dragsdorf and Varriano-Marston), **310**
nephelometric method for determining cereal (O'Connell et al), **411**

Amylopectin
debranching and structure (Atwell et al), **12**

Amylose
content of wheat flour (Oda et al), **253**

Baking
cake; expansion and heat set of batter during (Mizukoshi et al), **352**
cake; oxidation of cake flour (Johnson et al), **94**
cookies; effects of removal of free flour lipids on internal structure (Clements), **445**
cookies; method to evaluate flour quality for rotary-molded cookies (Gaines and Tsen), **429**
dough strength requirements (Moss), **195**
effect of procedure on pasting properties of bread crumb (Morad and D'Appolonia), **239**
germination effect on physicochemical and bread-baking properties of legume flours and starches (Morad et al), **390**
laboratory method for saltine crackers (Pizzinatto and Hoseney), **249**
properties of wheat flours; gluten protein effects (Preston and Tipples), **314**
with proso millet flours (Lorenz and Dilsaver), **21**
semidwarf and standard height HRS wheat comparisons (McGuire et al), **32**
of sugar cookies; using fortified cottonseed flour (Vecchionacce and Setser), **303**

Barley
enzymic analysis of beta-D-glucans in (Prentice et al), **198**
hydrolysis of granules from, by α-amylases from barley malt (MacGregor and Ballance), **397**
lipids and fatty acid composition of (Bhatty and Rossnagel), **382**
proteins; fractioning by computer factor analysis (Martens and Bach Knudsen), **97**

Black gram
changes in oligosaccharides during germination and cooking of (Reddy and Salunkhe), **356**

Bran
millet milling (Lorenz et al), **16**

Bread and bread making
ascorbic acid as an oxidant (Elkassabany and Hoseney), **88**
baking procedure and surfactant effect on pasting properties of bread crumb (Morad and D'Appolonia), **239**
baladi; productive protein value of (Arafah et al), **35**
conversion of ascorbic acid to dehydroascorbic acid (Elkassabany et al), **85**
dietary fiber; containing gobo residue, gobo holocellulose, and konjac powder (Nagai et al), **307**
faba bean in conventional U.S. and Egyptian balady breads (Finney et al), **267**
factors affecting softness and firming rates (Maleki et al), **138**
fermentative reduction of phytate in rye, white, and whole wheat (Harland and Harland), **226**
mixing tolerance, effect of lipoxygenase (Hoseney et al), **163**
properties of wheat flours; protein solubility with soaps, communication to editor (Kobrehel and Matignon), **73**
with proso millet flours (Lorenz and Dilsaver), **21**
quality of bread fortified with ten micronutrients (Emodi and Scialpi), **1**
response to shortening addition and lipid removal (Chung et al), **111**
response to shortening of flour defatted by varying solvent and temperature (Chung et al), **106**
sweet lupine-fortified; nutritional value and amino acid content of (El Dash et al), **9**
whole wheat; fresh egg yolk in (Birch and Finney), **248**

Brewer's spent grain
milling and baking properties of (Finley and Hanamoto), **166**

Cakes and cookies
cookies; baking method to evaluate flour quality for rotary-molded (Gaines and Tsen), **429**
cookies; effects of removal of free flour lipids on internal structure (Clements), **445**
effect of corn syrups on layer cakes (Koepsel and Hoseney), **49**
effect of storing and heating nondefatted and defatted flours (Johnson and Hoseney), **92**
expansion and heat set of cake batter during baking (Mizukoshi et al), **352**
oxidation of starch by chlorine treatment of cake flour (Johnson et al), **94**
with proso millet flours (Lorenz and Dilsaver), **21**
shortenings encapsulated with oilseed proteins (Baker et al), **257**
sugar cookie quality, with fortified cottonseed flour (Vecchionacce and Setser), **303**

Carbohydrates
comparison of nonstarchy polysaccharides in oats and wheat (MacArthur and D'Appolonia), **39**

Cereal
enzymic analysis of beta-D-glucans in (Prentice et al), **198**

Cereal grains
granary storage of, mycotoxin and odor formation in (Abramson et al), **346**
method for isolation and analysis of cell wall material from (Selvendran and Du Pont), **278**

Chlorination
storing and heating flour as substitute for (Johnson and Hoseney), **92**

Choline
estimation in plant protein sources (Atwal et al), **368**

Corn
aflatoxin-contaminated; physical method for segregation of (Huff),**236**
aflatoxin distribution in contaminated (Shotwell et al), **206**
aflatoxin distribution in individual kernels (Lee et al), **340**
aflatoxin incidence and level in preharvest (McMillian et al), **83**
colorimetric method for zein determination in (Esen), **129**
high-moisture shelled; effect of microwave heating on (Nofsinger et al), **373**
preharvest; aflatoxin contamination of, role of *Aspergillus flavus* inoculum and insect damage (Lillehoj et al), **255**
reducing agent effect on zein preparation (Tsai), **288**

Cottonseed
flour; use in sugar cookie baking (Vecchionacce and Setser), **303**

Crackers
saltine; laboratory method for (Pizzinatto and Hoseney), **249**

Cracker sponges
rheological changes during fermentation (Pizzinatto and Hoseney), **185**

Dough
ascorbic acid as an oxidant (Elkassabany et al), **85**
ascorbic acid role in development (Grant and Sood), **46**
changes in pentosans as a result of mixing and oxidation (Yeh et al), **144**
differential scanning calorimeter study of (Eliasson and Hegg), **436**
dynamic viscoelastic properties of, dependence on mixing time (Bohlin and Carlson), **174**
fumaric acid reaction with gluten during mixing (Sidhu et al), **159**
measuring fermentation rates with a gasograph (Rubenthaler et al), **212**
oxidant effect on consistency under heating (Tanaka et al), **169**
rheological effects of ascorbic acid (Elkassabany and Hoseney), **88**
starch granule size effect on rheology (Rasper and deMan), **331**
strength; protease effect from *Saccharomyces carlsbergensis* (Woods et al), **290**
strength requirements of (Moss), **195**

Drying
of rice, volumetric reduction of (Steffe and Singh), **148**

Electrophoresis
analysis of soy protein by (Anderson), **155**
protein solubilization with soaps, relation to bread-making properties of wheat flours, communication to editor (Kobrehel and Matignon), **73**
reducing agent effect on zein preparation (Tsai), **288**
zein fractionation by ion-exchange chromatography on phosphocellulose, communication to editor (Esen), **75**

Enrichment
natural levels of nutrients in wheat flours (Kulp et al), **54**
nutrient levels in wheat flour (Ranum), **70**

Environment
effects on oat phytic acid concentration (Miller et al), **189, 192**

Enzymes
oxidizing ascorbate; in flour, purification and characterization of (Grant and Sood), **46**
sensitive test for α-amylase in flour (Rubenthaler et al), **212**

Erratum
Hargin et al (Vol. 57, p. 321), **450**

Extrusion cooking
twin-screw; of manioc starch, amylose-lipid complex formation (Mercier et al), **4**

Fatty Acids
of Riso 1508 and normal barley (Bhatty and Rossnagel), **382**

Fermentation
of black gram/rice blend; changes in oligosaccharides during (Reddy and Salunkhe), **356**
time extended to reduce phytate in breads (Harland and Harland), **226**

Fiber
dietary; in breads containing gobo residue, gobo holocellulose, and konjac powder (Nagai et al), **307**

Flour
calcium, magnesium, and zinc content (Emodi and Scialpi), **1**
changes in pentosans as a result of dough mixing and oxidation (Yeh et al), **144**
chlorinated and heat-treated; starch gelatinization dynamics studied by small-angle light scattering (Bhuiyan and Blanshard), **262**
composite; measurement of hydration capacity of (Rasper and deMan), **27**
composite; starch effect on rheology (Rasper and deMan), **331**
cowpea and field pea protein, in baking powder biscuits, replacement of milk protein with (McWatters), **223**
defatted and reconstituted wheat; bread-making response to shortening (Chung et al), **106**
dough strength requirements, effect of sheeting (Moss), **195**
dual-purpose mill for (Shuey et al), **295**
effect of storing and heating nondefatted and defatted for cakes (Johnson and Hoseney), **92**
enzyme oxidizing ascorbate in, purification of (Grant and Sood), **46**
fortified; distribution of vitamin A in (Parrish et al), **284**
free fatty acids, antioxidant effect of ascorbic acid on (Grant and Sood), **231**
fumaric acid reaction with gluten during dough mixing (Sidhu et al), **159**
insect infestation in (Holmes), **371**
levels of nutrients in (Ranum), **70**
lupine; nutritional value and amino acid content of bread (El Dash et al), **9**
mechanism by which lipoxygenase increases mixing tolerance (Hoseney et al), **163**
millet; composition (Lorenz et al), **16**
mineral analysis of (Lorenz et al), **65**
navy bean; amino acid and mineral profile of air-classified (Patel et al), **123**
nutrient composition of (Kulp et al), **54**
nutrient levels in internationally milled wheat (Ranum et al), **361**
pea; fortification of pasta with (Nielsen et al), **203**
quality assessment of Japanese noodle (Oda et al), **253**
with various bread-making quality with or without flour lipids (Chung et al), **111**
vitamin analysis of (Keagy et al), **59**
wheat; gluten protein effects on rheological and baking properties of (Preston and Tipples), **314**
wheat; reaction of ^{14}C-cysteine with water soluble under UV light (Sidhu el al), **380**

Germinability
of high-moisture shelled corn; effect of microwave heating on (Nofsinger et al), **373**

Germination
of black gram; oligosaccharide changes during (Reddy and Salunkhe), **356**
effect on physicochemical and bread-baking properties of legume flours and starches (Morad et al), **390**
of faba beans in U.S. and Egyptian balady breads (Finney et al), **267**

Gliadin
high molecular weight; subunits identical to ethanol-soluble reduced glutenin subunits (Bietz and Wall), **415**

Gluten
binding of water soluble pentosans to (Sidhu et al), **380**
fumaric acid reaction with, during dough mixing (Sidhu et al), **159**
heat treatment effect on protein solubility and viscoelastic properties of (Jeanjean et al), **325**

protein interactions and structure (Bietz and Wall), **415**
wheat; thermal stability of (Eliasson and Hegg), **436**

Glutenin
ethanol-soluble subunits identical to high molecular weight gliadin (Bietz and Wall), **415**
protein solubilization with soaps, relation to bread-making properties of wheat flours, communication to editor (Kobrehel and Matignon), **73**

Grains
PNMR analysis of moisture content (Miller et al), **126**

Indian ricegrass
quality characteristics of (Stearns and Booth), **438**

Insects
damage in preharvest corn (McMillian et al), **83**
role in aflatoxin contamination of preharvest corn (Lillehoj et al), **255**

Instruments and instrumentation
balance rheometer to measure dynamic viscoelastic properties of wheat flour dough (Bohlin and Carlson), **174**
Do-Corder for investigating rheological properties of heated dough (Tanaka et al), **169**
dual-purpose mill for flour and granular products (Shuey et al), **295**
extensograph to measure rheological changes in cracker sponges (Pizzinatto and Hoseney), **185**
gasograph to measure fermentation rates of flour and additives (Rubenthaler et al), **212**
methods of recording dough development curves from electronic recording mixers (Voisey and Kloek), **442**

Kidney bean
trypsin inhibitors of (Ellenrieder et al), **25**

Lactic acid
in rye sour, gas chromatographic method for determination (Kratochvíl and Holas), **209**

Legumes
germination effect on physicochemical and bread-baking properties of (Morad et al), **390**

Lipids
amylose-lipid complex formation by twin-screw extrusion cooking of manioc starch (Mercier et al), **4**
bread-making response to lipid removal in various flours (Chung et al), **111**
constituents in wheat, evaluation (Davis et al), **178**
deterioration in pearl millet (Lai and Varriano-Marston), **275**
extraction from defatted and reconstituted wheat flours (Chung et al), **106**
flour; effects of removal on cookies structure (Clements), **445**
free and bound; in pearl millets (Lai and Varriano-Marston), **271**
of Riso 1508 and normal barley (Bhatty and Rossnagel), **382**

Lipoxygenase
effect on mixing tolerance (Hoseney et al), **163**

Lupine
fortified bread; nutritional value and amino acid content (El Dash et al), **9**

Methods
baking; to evaluate flour quality for rotary-molded cookies (Gaines and Tsen), **429**
for choline estimation in plant protein (Atwal et al), **368**
computer factor analysis for fractioning barley proteins (Martens and Bach Knudsen), **97**
for determination of acetic and lactic acid in rye sour (Kratochvíl and Holas), **209**
to determine starch gelatinization in bakery foods (Varriano-Marston et al), **242**
differential scanning calorimetry on gluten (Eliasson and Hegg), **436**
fluorescence determination of uric acid in flour (Holmes), **371**
hydration capacity measurement of wheat flour and starch mixtures (Rasper and deMan), **27**
for isolation and analysis of cell wall material from cereals (Selvendran and Du Pont), **278**
laboratory for saltine crackers (Pizzinatto and Hoseney), **249**
measurement of moisture in cereal grains (Miller et al), **126**
to produce high extraction faba bean cotyledon flour (Morad and Finney), **230**
pyrolysis-gas chromatography for oligosaccharide reactions (Donnelly et al), **388**
for quantitative determination of starch (Fleming and Reichert), **153**
reducing agent effect on zein preparation (Tsai), **288**
reflectance colorimeter; comparison with pigment extraction for evaluating semolina color (Johnston et al), **247**
for segregation of aflatoxin-contaminated corn (Huff), **236**
of separation of histological components of rice and amino acid analysis for protein characterization (Bradbury et al), **133**
sodium hydroxide to distinguish red from white common, club, and durum wheats (Lamkin and Miller), **293**
of wheat hardness (Obuchowski and Bushuk), **421**
zein determination in corn (Esen), **129**

Microwave heating
effect on high-moisture shelled corn (Nofsinger et al), **373**

Millet
mineral content and location in (Varriano-Marston and Hoseney), **150**
pearl; changes during storage (Lai and Varriano-Marston), **275**
pearl; characterization of starch from (Beleia et al), **300**
pearl; lipid content and fatty acid composition of free and bound lipids in (Lai and Varriano-Marston), **271**
proso; milling characteristics and nutritive value of (Lorenz et al), **16**
proso; rheological properties and food applications of flours (Lorenz and Dilsaver), **21**

Milling
comparison of mills (Black et al), **402**
effect on cooking time of sorghum grain (Ali and Wills), **386**
faba bean, simple method (Morad and Finney), **230**
first break grinding of Canadian wheat, factors affecting (Hsieh et al), **217**
millet; characteristics of (Lorenz et al), **16**
to produce 70% extraction durum wheat semolina (Matsuo and Dexter), **117**
semidwarf and standard height HRS wheat comparisons (McGuire et al), **32**

Minerals
in air-classified navy bean flour (Patel et al), **123**
analysis of commercially milled wheat flours (Lorenz et al), **65**
effect on bread qualities (Emodi and Scialpi), **1**
in internationally milled wheat flours (Ranum et al), **361**
levels to add to wheat flour (Ranum), **70**
in pearl millet (Varriano-Marston and Hoseney), **150**

Moisture
PNMR method for cereal grains (Miller et al), **126**

Nutrition
bread fortified with micronutrients (Emodi and Scialpi), **1**
nutrient levels in internationally milled wheat flours (Ranum et al), **361**
of sweet lupine-fortified bread (El Dash et al), **9**
of wheat flours, enrichment (Kulp et al), **54**
of wheat flours, vitamin analysis (Keagy et al), **59**

Oats
enzymic analysis of beta-D-glucans in (Prentice et al), **198**
nonstarchy polysaccharide comparison in (MacArthur and D'Appolonia), **39**
phytic acid concentration in, soil phosphorus, environmental, and cultivar effects (Miller et al), **189, 192**

Oligosaccharides
reactions of, pyrolysis-gas chromatography (Donnelly et al), **388**

Oxidation
antioxidant effect of ascorbic acid on flour free fatty acids (Grant and Sood), **231**
changes in pentosan as a result of (Yeh et al), **144**

Pasta
fortification of, with pea flour and air-classified pea protein concentrate (Nielsen et al), **209**
with proso millet flours (Lorenz and Dilsaver), **21**
relation between characteristics of wheat starch and eating quality of

Japanese noodle (Oda et al), **253**
spaghetti-making quality; comparison of experimentally and commercially milled wheat semolina (Matsuo and Dexter), **117**

Peanuts
trypsin inhibitors of (Ellenrieder et al), **25**

Pentosans
changes in as a result of dough mixing and oxidation (Yeh et al), **144**

Phytic acid
concentration in oats, soil phosphorus, environmental, and cultivar effects (Miller et al), **189, 192**

Polysaccharides
nonstarchy; comparison in oats and wheat (MacArthur and D'Appolonia), **39**

Protease
effect from *Saccharomyces carlsbergensis* on dough strength (Woods et al), **290**

Protein
amino acid analyses of, of histological components of high-protein rice (Bradbury et al), **343**
barley; fractioning by computer factor analysis (Martens and Bach Knudsen), **97**
characterization of rice proteins by amino acid analysis (Bradbury et al), **133**
colorimetric method for zein in corn and potential in screening (Esen), **129**
content; effect on wheat hardness (Obuchowski and Bushuk), **426**
heat treatment effect on protein solubility of wheat gluten and viscoelastic properties (Jeanjean et al), **325**
milk; replacement with protein from cowpea and field pea flours in baking powder biscuits (McWatter), **223**
pea concentrate, for fortification of pasta (Nielsen et al), **203**
solubilities; aging of soybean globulins (Nash and Wolf), **233**
solubility with soaps, relation to bread-making properties of wheat flours, communication to editor (Kobrehel and Matignon), **73**
soy; analysis by disc gel electropherograms (Anderson), **155**
wheat; N-terminal amino acid sequences (Bietz and Wall), **415**

Protein isolate
baking properties of oilseed protein and isolates produced with industrial membrane systems (Khan and Lawhon), **433**
vegetable; production and functionality of (Vose), **406**

Pyrolysis
gas chromatography; reactions of oligosaccharides (Donnelly et al), **388**

Rheology
changes during fermentation of cracker sponges (Pizzinatto and Hoseney), **185**
Do-Corder characteristics of heated dough in the presence of oxidants (Tanaka et al), **169**
dynamic rheological properties of wheat flour dough, dependence on mixing time (Bohlin and Carlson), **174**

Rice
amino acid analyses of proteins of histological components of (Bradbury et al), **343**
histological component separation methods and amino acid analysis for characterization of proteins (Bradbury et al), **133**
volumetric reduction of, during drying (Steffe and Singh), **148**

Scanning electron microscopy
of α-amylases from barley malt (MacGregor and Ballance), **397**
oxidant effect on starch gelatinization (Tanaka et al), **169**

Semolina
color; comparison of pigment extraction and reflectance colorimeter methods for evaluating (Johnston et al), **247**
wheat; comparison of experimentally and commercially milled for spaghetti making (Matsuo and Dexter), **117**

Shortenings
encapsulated with oilseed proteins (Baker et al), **257**

Sorghum
effect of milling on cooking time of (Ali and Wills), **386**
soluble sugars of (Subramanian et al), **440**

Soybeans
analysis of proteins by disc gel electropherograms (Anderson), **155**
globulins; aging of, solubility effect in buffer (Nash and Wolf), **233**
immunological behavior of protein fraction from lectin (Bracciali et al), **367**
inactivation of trypsin inhibitors in aqueous soybean extracts by direct steam infusion (Johnson et al), **376**
quality changes during storage (Saio et al), **77**
trypsin inhibitors of (Ellenrieder et al), **25**

Staling
baking procedure and surfactant effect on pasting properties of bread crumb (Morad and D'Appolonia), **239**
of bread; effect of surfactants and baking procedure on water-solubles and soluble starch (Morad and D'Appolonia), **141**
of bread; factors affecting bread softness and firming rate (Maleki et al), **138**
bread; X-ray diffraction studies of (Dragsdorf and Varriano-Marston), **310**

Starch
amylogram of commercial wheat variety (Oda et al), **253**
baking procedure and surfactant effect on pasting properties of bread crumb (Morad and D'Appolonia), **239**
in bread crumb; effect of surfactants and baking procedure on (Morad and D'Appolonia), **141**
characterization of, from pearl millets (Beleia et al), **300**
debranching wheat amylopectin (Atwell et al), **12**
gelatinization; determination in bakery foods (Varriano-Marston et al), **242**
gelatinization dynamics; by small-angle light scattering of flours (Bhuiyan and Blanshard), **262**
granule size; rheology of starch-wheat flour doughs (Rasper and deMan), **331**
granules from normal and waxy barley cutlivars; hydrolysis of by α-amylases from barley malt (MacGregor and Ballance), **397**
legume; germination effect on physicochemical and bread-baking properties of (Morad et al), **390**
legume; production and functionality of (Vose), **406**
manioc; twin-screw extrusion cooking of, amylose-lipid complex formation (Mercier et al), **4**
measurement of hydration capacity of (Rasper and deMan), **27**
oxidant effect on gelatinization (Tanaka et al), **169**
oxidation by chlorine treatment of cake flour (Johnson et al), **94**
quantitative determination method of (Fleming and Reichert), **153**

Storage
effect on fortified flours (Parrish et al), **284**
granary; mycotoxin and odor formation in cereal grain during (Abramson et al), **346**
of pearl millet meal; changes during (Lai and Varriano-Marston), **275**
soybean quality changes during (Saio et al), **77**

Sugar
effect of on layer cakes (Koepsel and Hoseney), **49**
soluble; of sorghum (Subramanian et al), **440**

Surfactants
effect of on pasting properties of bread crumb (Morad and D'Appolonia), **239**
effect on water-solubles and soluble starch in bread crumbs (Morad and D'Appolonia), **141**
sugar cookie quality using fortified cottonseed flour (Vecchionacce and Setser), **303**

Triglyceride
deposits in starch endosperm of wheat (Hargin et al), **320**

Trypsin inhibitors
inactivation of in aqueous soybean extracts by direct steam infusion (Johnson et al), **376**
thermal inactivation of (Ellenrieder et al), **25**

Ultrafiltration
baking properties of oilseed protein and isolates produced with industrial membrane systems (Khan and Lawhon), **433**

production and functionality of starches and protein isolates from legume seeds (Vose), **406**

Viscoelasticity
of gluten; heat treatment effect (Jeanjean et al), **325**

Vitamins
analysis of commercially milled wheat flours (Keagy et al), **59**
distribution in fortified flours (Parrish et al), **284**
effect on bread qualities (Emodi and Scialpi), **1**
in internationally milled wheat flours (Ranum et al), **361**
levels to add to wheat flour (Ranum), **70**

Wheat
cereal alpha-amylase; nephelometric method for determining (O'Connell et al), **411**
commercial variety used for noodle product in Japan (Oda et al), **253**
comparison of pigment extraction and reflectance colorimeter methods for evaluating semolina color (Johnston et al), **427**
enzymic analysis of beta-D-glucans in (Prentice et al), **198**
first break grinding of, factors affecting (Hsieh et al), **217**
flours; mineral analysis (Lorenz et al), **65**
flours; nutrient levels in (Kulp et al), **54**
flours; vitamin analysis in (Keagy et al), **59**
germ; immunological behavior of protein fraction from durum and soft wheat germ (Bracciali et al), **367**
hardness; comparison of methods of evaluation (Obuchowski and Bushuk), **421**
hardness; effects of debranning and protein content (Obuchowski and Bushuk), **426**
nutrient composition of, lipid constituents (Davis et al), **178**
protein sequences reveal gluten structure (Bietz and Wall), **415**
semidwarf and standard height HRS comparisons (McGuire et al), **32**
semolina; comparison of experimentally and commercially milled for spaghetti making (Matsuo and Dexter), **117**
sodium hydroxide to distinguish red from white common, club, and durum (Lamkin and Miller), **293**
triglyceride deposits in starch endosperm of (Hargin et al), **320**

Zein
in corn, colorimetric method for determination (Esen), **129**
fractionation by ion-exchange chromatography, communication to editor (Esen), **75**
reducing agent effect on preparation (Tsai), **288**

Zinc
bioavailability estimate in breads (Harland and Harland), **226**

Cereal Chemistry

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor ..... Paul E. Ramstad
Publisher ..... Raymond J. Tarleton
Director of Publications and Communications ..... Steven C. Nelson
Senior Editor ..... Vera Baker
Technical Editor ..... Ann King

Board of Editors

D. W. Axford
O. J. Banasik
J. E. Bernardin
R. S. Bhatty
O. K. Chung
R. L. Clements
B. J. Donnelly
B. L. Dronzek
D. T. Hopkins
V. J. Kelly
K. K. Keneaster
F. G. Kosmolak
D. G. Medcalf
R. L. Ory
K. R. Preston
G. Puski
G. S. Ranhotra
G. Reed
P. A. Seib
S. A. Watson

VOLUME 57, NUMBERS 1–6

JANUARY–NOVEMBER 1980

St. Paul, Minnesota

1980

CONTENTS

VOLUME 57, NUMBER 1 JANUARY-FEBRUARY 1980

iii Instructions to Authors

1 Quality of Bread Fortified with Ten Micronutrients. *A. S. Emodi* and *L. Scialpi*

4 Formation of Amylose-Lipid Complexes by Twin-Screw Extrusion Cooking of Manioc Starch. *C. Mercier, R. Charbonniere, J. Grebaut,* and *J. F. de la Gueriviere*

9 Sweet Lupine-Fortified Bread: Nutritional Value and Amino Acid Content. *A. A. El-Dash, V. C. Sgarbieri,* and *J. E. Campos*

12 Debranching of Wheat Amylopectin. *W. A. Atwell, R. C. Hoseney,* and *D. R. Lineback*

16 Proso Millets. Milling Characteristics, Proximate Compositions, Nutritive Value of Flours. *K. Lorenz, W. Dilsaver,* and *L. Bates*

21 Rheological Properties and Food Applications of Proso Millet Flours. *K. Lorenz* and *W. Dilsaver*

25 Thermal Inactivation of Trypsin Inhibitors in Aqueous Extracts of Soybeans, Peanuts, and Kidney Beans: Presence of Substances That Accelerate Inactivation. *G. Ellenrieder, H. Geronazzo,* and *A. B. De Bojarski*

27 Measurement of Hydration Capacity of Wheat Flour/Starch Mixtures. *V. F. Rasper* and *J. M DeMan*

32 Quality Comparisons of Some Semidwarf and Standard Height Hard Red Spring Wheat Lines Grown in Montana. *C. F. McGuire, F. H. McNeal,* and *M. A. Berg*

35 Nutritive Quality of Baladi Bread Supplemented with Fish Protein Concentrate, Green Algae, or Synthetic Amino Acids. *A. Arafah, M. Abassy, S. Morcos,* and *L. Hussein*

39 Comparison of Nonstarchy Polysaccharides in Oats and Wheat. *L. A. MacArthur* and *B. L. D'Appolonia*

46 Studies of the Role of Ascorbic Acid in Chemical Dough Development. II. Partial Purification and Characterization of an Enzyme Oxidizing Ascorbate in Flour. *D. R. Grant* and *V. K. Sood*

49 Effects of Corn Syrups in Layer Cakes. *K. M. Koepsel* and *R. C. Hoseney*

54 Natural Levels of Nutrients in Commercially Milled Wheat Flours. I. Description of Samples and Proximate Analysis. *K. Kulp, P. M. Ranum, P. C. Williams,* and *W. T. Yamazaki*

59 Natural Levels of Nutrients in Commercially Milled Wheat Flours. II. Vitamin Analysis. *P. M. Keagy, B. Borenstein, P. Ranum,*

M. A. Connor, K. Lorenz, W. E. Hobbs, G. Hill, A. L. Bachman, W. A. Boyd, and *K. Kulp*

65 Natural Levels of Nutrients in Commercially Milled Wheat Flours. III. Mineral Analysis. *K. Lorenz, R. Loewe, D. Weadon,* and *W. Wolf*

70 Note on Levels of Nutrients to Add Under Expanded Wheat Flour Fortification/Enrichment Programs. *P. M. Ranum*

73 Communication to the Editor: Solubilization of Proteins with Soaps in Relation to the Bread-Making Properties of Wheat Flours. *K. Kobrehel* and *B. Matignon*

75 Communication to the Editor: Fractionation of Zein by Ion-Exchange Chromatography on Phosphocellulose. *Asim Esen*

VOLUME 57, NUMBER 2 MARCH-APRIL 1980

77 Soybean Quality Changes During Model Storage Studies. *K. Saio, I. Nikkuni, Y. Ando, M. Otsuru, Y. Terauchi,* and *M. Kito*

83 Incidence and Level of Aflatoxin in Preharvest Corn in South Georgia in 1978. *W. W. McMillian, D. M. Wilson, N. W. Widstrom,* and *R. C. Gueldner*

85 Ascorbic Acid as an Oxidant in Wheat Flour Dough. I. Conversion to Dehydroascorbic Acid. *M. Elkassabany, R. C. Hoseney,* and *P. A. Seib*

88 Ascorbic Acid as an Oxidant in Wheat Flour Dough. II. Rheological Effects. *M. Elkassabany* and *R. C. Hoseney*

92 Chlorine Treatment of Cake Flours. IV. Effects of Storing and Heating Nondefatted and Defatted Flours. *A. C. Johnson* and *R. C. Hoseney*

94 Chlorine Treatment of Cake Flours. V. Oxidation of Starch. *A. C. Johnson, R. C. Hoseney,* and *K. Ghiasi*

97 Fractioning Barley Proteins by Computer Factor Analysis. *H. Martens*

106 Defatted and Reconstituted Wheat Flours. V. Bread-Making Response to Shortening of Flour Differentially Defatted by Varying Solvent and Temperature. *O. K. Chung, Y. Pomeranz, K. F. Finney, M. D. Shogren,* and *D. Carville*

111 Defatted and Reconstituted Wheat Flours. VI. Response to Shortening Addition and Lipid Removal in Flours That Vary in Bread-Making Quality. *O. K. Chung, Y. Pomeranz, M. D. Shogren, K. F. Finney,* and *B. G. Howard*

117 Comparison of Experimentally Milled Durum Wheat Semolina to Semolina Produced by Some Canadian Commercial Mills. *R. R. Matsuo* and *J. E. Dexter*

123 Amino Acid and Mineral Profile of Air-Classified Navy Bean Flour Fractions. *K. M. Patel, C. L. Bedford,* and *C. W. Youngs*

126 Measuring High Moisture Content of Cereal Grains by Pulsed Nuclear Magnetic Resonance. *B. S. Miller, M. S. Lee, J. W. Hughes,* and *Y. Pomeranz*

129 A Simple Colorimetric Method for Zein Determination in Corn and Its Potential in Screening for Protein Quality. *A. Esen*

133 Methods of Separation of the Major Histological Components of Rice and Characterization of Their Proteins by Amino Acid Analysis. *J. H. Bradbury, J. G. Collins,* and *N. A. Pyliotis*

138 Effects of Loaf Volume, Moisture Content, and Protein Quality on the Softness and Staling Rate of Bread. *M. Maleki, R. C. Hoseney,* and *P. J. Mattern*

141 Effect of Surfactants and Baking Procedure on Total Water-Solubles and Soluble Starch in Bread Crumb. *M. M. Morad* and *B. L. D'Appolonia*

144 Changes in Wheat Flour Pentosans as a Result of Dough Mixing and Oxidation. *Y. F. Yeh, R. C. Hoseney,* and *D. R. Lineback*

148 Note on Volumetric Reduction of Short Grain Rice During Drying. *J. F. Steffe* and *R. P. Singh*

150 Note on Mineral Content and Location in Pearl Millet. *E. Varriano-Marston* and *R. C. Hoseney*

152 Note on a Modified Method for the Quantitative Determination of Starch. *S. E. Fleming* and *R. D. Reichert*

VOLUME 57, NUMBER 3 MAY-JUNE 1980

155 Analysis of Soy Protein Disc Gel Electropherograms. *R. L. Anderson*

159 Mixograph Studies. III. Reaction of Fumaric Acid with Gluten Proteins During Dough Mixing. *J. S. Sidhu, P. Nordin,* and *R. C. Hoseney*

163 Mixograph Studies. IV. The Mechanism by Which Lipoxygenase Increases Mixing Tolerance. *R. C. Hoseney, H. Rao, J. Faubion,* and *J. S. Sidhu*

166 Milling and Baking Properties of Dried Brewer's Spent Grains. *J. W. Finley* and *M. M. Hanamoto*

169 Effect of Potassium Bromate, Potassium Iodate, and L-Ascorbic Acid on the Consistency of Heated Dough. *K. Tanaka, S. Endo,* and *S. Nagao*

174 Dynamic Viscoelastic Properties of Wheat Flour Dough: Dependence on Mixing Time. *L. Bohlin* and *T. L.-G. Carlson*

178 Evaluation of the Nutrient Composition of Wheat. I. Lipid Constituents. *K. R. Davis, N. Litteneker, D. Le Tourneau, R. F. Cain, L. J. Peters,* and *J. McGinnis*

185 Rheological Changes in Cracker Sponges During Fermentation. *A. Pizzinatto* and *R. C. Hoseney*

189 Environmental and Cultivar Effects on Oat Phytic Acid Concentration. *G. A. Miller, V. L. Youngs,* and *E. S. Oplinger*

192 Effect of Available Soil Phosphorus and Environment on the Phytic Acid Concentration in Oats. *G. A. Miller, V. L. Youngs,* and *E. S. Oplinger*

195 Strength Requirements of Doughs Destined for Repeated Sheeting Compared with Those of Normal Doughs. *H. J. Moss*

198 Enzymic Analysis of Beta-D-Glucans in Cereal Grains. *N. Prentice, S. Babler,* and *S. Faber*

203 Fortification of Pasta with Pea Flour and Air-Classified Pea Protein Concentrate. *M. A. Nielsen, A. K. Sumner,* and *L. L. Whalley*

206 Aflatoxin: Distribution in Contaminated Corn Plants. *O. L. Shotwell, M. L. Goulden, C. W. Hesseltine, J. W. Dickens,* and *W. F. Kwolek*

209 A Gas Chromatographic Method for the Determination of Acetic and Lactic Acid in Rye Sour. *J. Kratochvíl* and *J. Holas*

212 Gasograph: Design, Construction, and Reproducibility of a Sensitive 12-Channel Gas Recording Instrument. *G. L. Rubenthaler, P. L. Finney, D. E. Demaray,* and *K. F. Finney*

217 Some Factors Affecting the First Break Grinding of Canadian Wheat. *F. H. Hsieh, D. G. Martin, H. C. Black,* and *K. H. Tipples*

223 Replacement of Milk Protein with Protein from Cowpea and Field Pea Flours in Baking Powder Biscuits. *K. H. McWatters*

226 Fermentative Reduction of Phytate in Rye, White, and Whole Wheat Breads. *B. F. Harland* and *J. Harland*

230 Note on a Simple Method to Produce a High Extraction Faba Bean Cotyledon Flour. *M. M. Morad* and *P. L. Finney*

231 Note on the Antioxidant Effect of Ascorbic Acid on Flour Free Fatty Acids. *D. R. Grant* and *V. K. Sood*

VOLUME 57, NUMBER 4 JULY-AUGUST 1980

233 Aging of Soybean Globulins: Effect on Their Solubility in Buffer at pH 7.6. *A. N. Nash* and *W. J. Wolf*

236 A Physical Method for the Segregation of Aflatoxin-Contaminated Corn. *W. E. Huff*

239 Effect of Baking Procedure and Surfactants on the Pasting Properties of Bread Crumb. *M. M. Morad* and *B. L. D'Appolonia*

242 Comparison of Methods to Determine Starch Gelatinization in Bakery Foods. *E. Varriano-Marston, V. Ke, G. Huang,* and *J. Ponte, Jr.*

249 A Laboratory Method for Saltine Crackers. *A. Pizzinatto* and *R. C. Hoseney*

253 A Method of Flour Quality Assessment for Japanese Noodles. *M. Oda, Y. Yasuda, S. Okazaki, Y. Yamauchi,* and *Y. Yokoyama*

255 Aflatoxin Contamination of Preharvest Corn: Role of *Aspergillus flavus* Inoculum and Insect Damage. *E. B. Lillehoj, W. F. Kwolek, E. S. Horner, N. W. Widstrom, L. M. Josephson, A. O. Franz,* and *E. A. Catalano*

257 Shortenings Encapsulated with Oilseed Proteins. *G. W. Baker, L. A. Johnson, E. W. Lusas,* and *L. W. Rooney*

262 Chlorinated and Heat-Treated Flours: Studies of the Dynamics of Starch Gelatinization by Small-Angle Light Scattering. *Z. H. Bhuiyan* and *J. M. V. Blanshard*

267 Germinated and Ungerminated Faba Bean in Conventional U.S. Breads Made With and Without Sugar and in Egyptian Balady Breads. *P. L. Finney, M. M. Morad,* and *J. D. Hubbard*

271 Lipid Content and Fatty Acid Composition of Free and Bound Lipids in Pearl Millets. *C. C. Lai* and *E. Varriano-Marston*

275 Changes in Pearl Millet Meal During Storage. *C. C. Lai* and *E. Varriano-Marston*

278 An Alternative Method for the Isolation and Analysis of Cell Wall Material from Cereals. *R. R. Selvendran* and *M. S. Du Pont*

284 Distribution of Vitamin A in Fortified Flours and Effect of Processing, Simulated Shipping, and Storage. *D. B. Parrish, W. D. Eustace, J. G. Ponte, Jr.,* and *L. Herod*

288 Note on the Effect of Reducing Agent on Zein Preparation. *C. Y. Tsai*

290 Note on the Effects of Protease from *Saccharomyces carlsbergensis* on Dough Strength. *F. C. Woods, B. L. Bruinsma,* and *J. E. Kinsella*

293 Note on the Use of Sodium Hydroxide to Distinguish Red Wheats from White Common, Club, and Durum Cultivars. *W. M. Lamkin* and *B. S. Miller*

VOLUME 57, NUMBER 5 SEPTEMBER-OCTOBER 1980

295 Dual-Purpose Mill for Flour and Granular Products. *W. C. Shuey, R. D. Maneval,* and *J. W. Dick*

300 Characterization of Starch from Pearl Millets. *Adelaide Beleia, E. Varriano-Marston,* and *R. C. Hoseney*

303 Quality of Sugar Cookies Fortified with Liquid Cyclone Processed Cottonseed Flour with Stabilizing Agents. *L. M. Vecchionacce* and *C. S. Setser*

307 Dietary Fiber Breads Containing Gobo Residue, Gobo Holocellulose, and Konjac Powder. *T. Nagai, H. Imamura,* and *S. Kiriyama*

310 Bread Staling: X-Ray Diffraction Studies on Bread Supplemented with α-Amylases from Different Sources. *R. D. Dragsdorf* and *E. Varriano-Marston*

314 Effects of Acid-Soluble and Acid-Insoluble Gluten Proteins on the Rheological and Baking Properties of Wheat Flours. *K. R. Preston* and *K. H. Tipples*

320 Triglyceride Deposits in the Starchy Endosperm of Wheat. *K. D. Hargin, W. R. Morrison,* and *R. G. Fulcher*

325 Effect of Heat Treatment on Protein Solubility and Viscoelastic Properties of Wheat Gluten. *M. F. Jeanjean, R. Damidaux,* and *P. Feillet*

331 Effect of Granule Size of Substituted Starches on the Rheological Character of Composite Doughs. *V. F. Rasper* and *J. M. deMan*

340 Aflatoxin Distribution in Individual Corn Kernels from Intact Ears. *L. S. Lee, E. B. Lillehoj,* and *W. F. Kwolek*

343 Amino Acid Analyses of the Proteins of the Major Histological Components of a High-Protein Rice. *J. H. Bradbury, J. G. Collins,* and *N. A. Pyliotis*

346 Mycotoxin and Odor Formation in Moist Cereal Grain During Granary Storage. *D. Abramson, R. N. Sinha,* and *J. T. Mills*

352 Model Studies of Cake Baking. II. Expansion and Heat Set of Cake Batter During Baking. *M. Mizukoshi, H. Maeda,* and *H. Amano*

356 Changes in Oligosaccharides During Germination and Cooking of Black Gram and Fermentation of Black Gram/Rice Blend. *N. R. Reddy* and *D. K. Salunkhe*

361 Nutrient Levels in Internationally Milled Wheat Flours. *F. F. Barrett, R. J. Loewe,* and *K. Kulp*

367 Note on the Identical Immunological Behavior of a Protein Fraction from Durum Wheat Germ and a Purified Lectin from Soft Wheat Germ. *A. Bracciali, P. Cantagalli, G. Pompucci,* and *P. Tarli*

368 Note on the Estimation of Choline in Plant Protein Sources. *A. S. Atwal, N. A. M. Eskin,* and *M. Vaisey-Genser*

371 Note on Fluorometric Method for Determination of Uric Acid in Flour. *L. G. Holmes*

VOLUME 57, NUMBER 6 NOVEMBER-DECEMBER 1980

373 Preliminary Biological Evaluation of the Effect of Microwave Heating on High-Moisture Shelled Corn. *G. W. Nofsinger, J. E. Van Cauwenberge, R. A. Anderson,* and *R. J. Bothast*

376 Inactivation of Trypsin Inhibitors in Aqueous Soybean Extracts by Direct Steam Infusion. *L. A. Johnson, C. W. Deyoe, W. J. Hoover,* and *J. R. Schwenke*

380 Reaction of ^{14}C-Cysteine with Wheat Flour Water Solubles Under Ultraviolet Light. *J. S. Sidhu, R. C. Hoseney, J. Faubion,* and *P. Nordin*

382 Lipids and Fatty Acid Composition of Riso 1508 and Normal Barley. *R. S. Bhatty* and *B. G. Rossnagel*

386 Effect of Milling on Cooking Time of Sorghum Grain. *M. R. Ali* and *R. B. H. Wills*

388 Reactions of Oligosaccharides. V. Pyrolysis-Gas Chromatography. *B. J. Donnelly, J. E. Voigt,* and *B. L. Scallet*

390 Effect of Germination on Physicochemical and Bread-Baking Properties of Yellow Pea, Lentil, and Faba Bean Flours and Starches. *M. M. Morad, H. K. Leung, D. L. Hsu,* and *P. L. Finney*

397 Hydrolysis of Large and Small Starch Granules from Normal and Waxy Barley Cultivars by Alpha-Amylases from Barley Malt. *A. W. MacGregor* and *D. L. Ballance*

402 Two Grain Research Laboratory Research Mills and a Comparison with the Allis-Chalmers Mill. *H. C. Black, F. H. Hsieh, D. G. Martin,* and *K. H. Tipples*

406 Production and Functionality of Starches and Protein Isolates from Legume Seeds (Field Peas and Horsebeans). *J. R. Vose*

411 Evaluation of a Nephelometric Method for Determining Cereal Alpha-Amylase. *B. T. O'Connell, G. L. Rubenthaler,* and *N. L. Murbach*

415 Identity of High Molecular Weight Gliadin and Ethanol-Soluble Glutenin Subunits of Wheat: Relation to Gluten Structure. *J. A. Bietz* and *J. S. Wall*

421 Wheat Hardness: Comparison of Methods of Its Evaluation. *W. Obuchowski* and *W. Bushuk*

426 Wheat Hardness: Effects of Debranning and Protein Content. *W. Obuchowski* and *W. Bushuk*

429 A Baking Method to Evaluate Flour Quality for Rotary-Molded Cookies. *C. S. Gaines* and *C. C. Tsen*

433 Baking Properties of Oilseed Protein and Isolates Produced with Industrial Membrane Systems. *M. N. Khan* and *J. T. Lawhon*

436 Thermal Stability of Wheat Gluten. *A.-C. Eliasson* and *P.-O. Hegg*

438 Note on the Quality Characteristics of Indian Ricegrass (Wye). *M. M. Stearns* and *D. T. Booth*

440 Note on the Soluble Sugars of Sorghum. *V. Subramanian, R. Jambunathan,* and *S. Suryaprakash*

442 Note on Methods of Recording Dough Development Curves from Electronic Recording Mixers. *P. W. Voisey* and *M. Kloek*

445 Note on the Effect of Removal of Free Flour Lipids on the Internal Structure of Cookies as Observed by a Resin-Embedding Method. *R. L. Clements*

447 Note on Comparison of Pigment Extraction and Reflectance Colorimeter Methods for Evaluating Semolina Color. *R. A. Johnston, J. S. Quick,* and *B. J. Donnelly*

448 Note on Fresh Egg Yolk in 50% Whole Wheat Bread. *R. E. W. Birch* and *P. L. Finney*

450 Erratum

451 Author Index, Volume 57

454 Subject Index, Volume 57

459 Contents Index, Volume 57